CHORD CABLE PRICE LIST AUGUST 26'
(prices are subject to change without notice)

C-series		Lengths	€
	**C-Line Analogue RCA** Yearly What Hi-Fi? Award winner from 2015 to 2023! Oxygen-free copper multi-stranded conductors (signal, return and Aray). High flexibility, low density conductor insulation. Over-wrapped foil shielding. Over-moulded Chord RCA plugs with direct gold-plated contact areas for enhanced signal transfer. Turntable compatible	**0,5m** **1,0m** **2,0m** **3,0m**	**99** **119** **159** **199**
	**C-Jack Analogue** The Chord C-Jack is designed to work with all line-level components: mobile players, phones, laptops, cd-players, streaming devices & amplifiers. This cable benefits from the same design principles as the award winning C-Line analogue interconnect cable. ***Available as 3.5mm mini-jack to 3.5mm mini-jack and 2 RCA to mini-jack 3.5mm***	**0,75m** **1,0m** **1,5m** **3,0m**	**109** **119** **139** **199**
	**C-Sub Analogue RCA subwoofer** Discreet, multi-strand, tinned copper signal conductor, with low resistance to enable longer lengths. Overlapped screen for increased flexibility, reduced signal loss caused by high-frequency interference. Unique gold plating RCA plug improves signal transfer. Over moulded plug surround provides high reliability.	**3,0m** **6,0m** **8,0m** **10,0m**	**99** **159** **199** **239**
	**C-Digital RCA** ARAY conductor geometry, oxygen free copper conductors, High density over-wrapped foil shielding. Unique direct gold-plated RCA plug improves signal transfer. Over-moulded plug surround provices high reliablility and zero conductor compression.	**0,5m** **1,0m**	**99** **119**
	**C-Lite optical** From pocket-size portable up to longer lengths for use in home systems. Wide bandwidth PMA optical cable with polished ends to improve bandwidth. Central conductor protected by soft PVC internal jacket. with a hard PVC outer jacket limiting crush damage, yet flexible enough to allow a thight bend radius without affecting the light-carrier. ***Available as Toslink to Toslink, Toslink to mini-jack (all lengths) and mini-jack to mini-jack (15cm and 30cm only)***	**15cm** **30cm** **1,0m** **2,0m** **3,0m** **5,0m** **8,0m** **10,0m**	**89** **89** **119** **159** **199** **269** **389** **469**

Prices are including 21% VAT / Prijzen zijn inclusief 21% BTW / tous les prix incluent 21% de TVA

CHORD CABLE PRICE LIST AUGUST 26'
(prices are subject to change without notice)

C-series		Lengths	€
	**C-USB A-B** Heavy gauge, oxygen-free, silver plated conductors, dual layer high frequency shielding. Low loss, gas-foamed polyethylene insulation. Twisted pair data conductor configuration.	**0,75m** **1,5m** **3,0m** **5,0m**	**109** **129** **199** **279**
	**C-USB A-C / C-B / C-C** Heavy gauge, oxygen-free, silver plated conductors, dual layer high frequency shielding. Low loss, gas-foamed polyethylene insulation. Twisted pair data conductor configuration.	**0,75m** **1,5m** **3,0m**	**109** **129** **199**
	**C-Stream** For audio streaming systems requiring cables with RJ45 connectors. Oxygen-free copper conductors with low density polyethylene insulation, each conductor pair is separately shielded and an overall high density foil shield is applied prior to a vibration-damping outer jacket.	**0,75** **1,5m** **3,0m** **5,0m** **10,0m** **15,0m** **20,0m**	**109** **139** **199** **279** **469** **669** **859**
	**C-View Plus HDMI** A high-performance cinema/TV/game/display connection featuring high-tech, graphene-shielded copper conductor. C-view Plus HDMI benefits from a 48GBps bandwidth with a resolution of 10K AT 30Hz, 8k at 60hz or 4k at 120hz. It supports Dynamic HDR, HDCP2.3, eARC, 3D and all HDMI audio formats. Certified for Ultra High Speed HDMI.	**0,75m** **1,0m** **1,5m** **2,0m** **3,0m**	**99** **109** **119** **129** **149**
	**C-ScreenX Speaker cable** A discreet and easy to fit cable, but with the performance benefits of shielding. C-screenX is just 7mm in diameter and flexible enough to route around corners with ease. Now featuring improved XLPE insulation, it joins the award winning line-up of Chord Company shielded speaker cables. ***Pair includes 4mm banana on both sides, spades at extra cost**. (custom and assymetric lenghts available)* ***Reels 50m and 100m available.***	**Pair** **2,0m*** **2,5m*** **3,0m*** **Extra m (mono)** **Spade per piece**	 **299** **324** **349** **24,9** **7,99**

Prices are including 21% VAT / Prijzen zijn inclusief 21% BTW / tous les prix incluent 21% de TVA

CHORD CABLE PRICE LIST AUGUST 26'
(prices are subject to change without notice)

Clearway X		Lengths	€
	**ClearwayX Analogue 2RCA/DIN/4DIN/2RCA-2XLR/3.5mm** Hand built in the UK, ClearwayX ARAY RCA features ARAY conductor geometry, heavy gauge OFC conductors, upgraded XLPE insulation and dual-layer shielding. Fitted with ChorAlloy™ plated Chord VEE3 RCA, Din, XLR or mini-jack connectors. What Hi-Fi? Award Winner from 2017 to 2023 yearly! - Best analogue Interconnect £ 100+	**0,5m** **1,0m** **Extra m** **TT FLY lead 1,2m**	**199** **239** **80** **319**
	**ClearwayX subwoofer RCA** The same award-winning Clearway specification and ARAY geometry. Ideal subwoofer cable for mid-range surround/multi-channel systems. Fitted with ChorAlloy™ plated VEE3 RCA plugs and upgraded with the latest XLPE insulation. Custom terminations and lengths available.	**3m** **5m** **7m** **Extra m**	**199** **269** **349** **40**
	**ClearwayX Analogue XLR** ClearwayX analogue XLR pair is fitted with Neutrik plugs containing Chord Company ChorAlloy™ plated connector pins and features our unique ARAY conductor configuration. The design benefits from identical conductors for the hot, cold and earth connections	**0,5m** **1,0m** **Extra m**	**289** **339** **100**
	**Clearway Digital Tuned ARAY RCA / BNC / mini-jack** Features our unique 75 ohm silver-plated, solid-core OFC conductors in Tuned ARAY geometry. PTFE dielectric, high-density braid and a damping dual-layer outer jacket. Available fitted with ChorAlloy® plated RCA, BNC or mini-jack connectors.	**0,5m RCA** **1m RCA** **1m BNC** **Extra m** **1m 2BNC-3.5mm**	**199** **239** **239** **80** **469**
	**Clearway USB (USB A-B)** The enhanced shield design employs double foil and high-density braid giving extra protection for the signal transfer and reducing the transmission of noise between the connected components. Like the other cables in the Clearway range it has a notably transparant sound and carries digital signals with a high degree of accuracy.	**0,75m** **1,5m** **3,0m** **5,0m**	**219** **279** **389** **549**

Prices are including 21% VAT / Prijzen zijn inclusief 21% BTW / tous les prix incluent 21% de TVA

CHORD CABLE PRICE LIST AUGUST 26'
(prices are subject to change without notice)

Clearway X		Lengths	€
	**Clearway USB (USB A-C, C-B and C-C)** The enhanced shield design employs double foil and high-density braid giving extra protection for the signal transfer and reducing the transmission of noise between the connected components. Like the other cables in the Clearway range it has a notably transparant sound and carries digital signals with a high degree of accuracy.	**0,5m** **1,0m** **2,0m** **3,0m**	**199** **239** **319** **399**
	**Clearway HDMI AOC (AOC starting from 1,5m)** Clearway HDMI AOC uses a high-quality chipset at both ends of the cable and the highest OM3 grade (over 10 Gigabit bandwidth) glass fibres rather than the typical OM2 (up to 1 Gigabit bandwidth). Alongside the full 4K/8K HDR picture quality, this ultra high-speed cable benefits from improved audio performance and is heavily shielded against HF noise. Clearway HDMI AOC benefits from a 48GBps bandwidth with a resolution of 10K AT 30Hz, 8k at 60hz or 4k at 120hz. It supports Dynamic HDR, HDCP2.3, eARC, 3D and all HDMI audio formats.	**0,75m** **1,0m** **1,5m AOC** **2,0m AOC** **3,0m AOC** **5,0m AOC** **8,0m AOC** **10m AOC**	**149** **159** **169** **189** **229** **299** **399** **469**
	**ClearwayX speaker cable** What Hi-Fi? Best Speaker Cable award for many years. 14 AWG multi-strand oxygen-free copper conductors. XLPE insulation. Conductors arranged in twisted-pair configuration. Soft PVC internal jacket and twin contra-wound foil shields to protect from high-frequency noise. Available with ChordOhmic speaker connectors featuring our latest ChorAlloy plating. Reels 50m. ***Pair includes 4mm banana on both sides, spades at extra cost.*** *(custom and assymetric lenghts available)* ***Reels 50m.***	**Pair** **2,0m*** **2,5m*** **3,0m*** **Extra m (mono)** **Spade per piece**	 **359** **399** **439** **39,90** **7,99**
	**Clearway Power Cable EU Chord Company** Clearway Power is the perfect first stage power supply upgrade for any level of system. Clearway Power is a unique Chord Company design, hand-built and rigoroursly tested in the UK. The unique and highly effective dual-foil screen, cimbined with the high-purity multistrand copper conductors and high-spec plugs has allowed us to offer an impressive level of performance at an affordable price. ***Available with C7 (figure 8), C13 (10 Amp) and C19 (16 Amp) connector. Powerhaus uses C19.***	**1m** **1,5m** **2,0m** **3,0m** **Fig8** **1m** **1,5m** **2,0m** **3,0m** **Extra m**	**239** **279** **309** **399** **299** **339** **379** **459** **80**

Prices are including 21% VAT / Prijzen zijn inclusief 21% BTW / tous les prix incluent 21% de TVA

CHORD CABLE PRICE LIST AUGUST 26'
(prices are subject to change without notice)

Clearway X		Lengths	€
	**Clearway Streaming** Clearway streaming cable has been designed to virtually eliminate the pickup of external high-frequency noise that can interfere with your enjoyment of streamed digital audio and video. Noise can find its way into the signal grounds and affect the performance of both digital and analogue circuits. Although the digital information is very robust this unwanted noise can compromise the final performance.	**0,75m** **1,5m** **3m** **5m** **10m** **15m** **20m**	**219** **279** **389** **549** **939** **1329** **1719**

Prices are including 21% VAT / Prijzen zijn inclusief 21% BTW / tous les prix incluent 21% de TVA

CHORD CABLE PRICE LIST AUGUST 26'
(prices are subject to change without notice)

Shawline X		Lengths	€
	**ShawlineX Analogue 2RCA/DIN/4DIN/2RCA-2XLR/250/300/3.5mm** Unique Tuned ARAY technology. Upgraded with the latest XLPE-insulated silver-plated conductors. Multiple shielding material works over a wide bandwidth and reduces noise. ChorAlloy™ plated VEE 3 RCA, DIN, mini-jack or XLR connectors. A great all-rounder, consistently well reviewed by the hi-fi press. 2 RCA to stereo minijack version also available. DIN is well suited for Naim and Quad systems 1,2m	**0,5m** **1,0m** **Extra m** **TT Fly Lead 1,2m**	**389** **469** **160** **569**
	**ShawlineX Aray Analogue Subwoofer** Silver-plated conductors, upgraded with the latest XLPE-insulation and high-frequency effective, multi-layer shield. Fitted with ChorAlloy™ plated VEE RCA plugs. Features Tuned ARAY conductors geometry.	**3m** **5m** **7m** **Extra m**	**389** **549** **709** **80**
	**ShawlineX ARAY Analogue XLR** All Tuned ARAY cables require a high degree of precision, only achieved with painstaking hand assembly. The upside of this process is that it allows us to add the extra conductors needed to build an exceptional XLR cable. Now upgraded with XLPE-insulation and ChorAlloy™ plated connector pins.	**0,5m** **1,0m** **Extra m**	**569** **669** **200**
	**Shawline Digital RCA / BNC / USB** Hearing what the bass and drums are doing is great, but it's pointless if they're not doing it together. The Shawline Digital brings coherence to the detail. A redesign of Shawline Analogue, but with the same Tuned ARAY conductor configuration. Fitted with ChorAlloy™ plated plugs.	**0,5m** **1,0m** **Extra m** **1m 2BNC-3.5mm** **Extra m**	**399** **479** **160** **939** **320**
	**Shawline Streaming** High-speed, silver-plated copper conductors. Individually shielded twisted conductor pairs with overall shield. FEP insulation. 24ct. Gold-plated signal contacts. Over-moulded zinc plug surround.	**0,75m** **1,5m** **3,0m** **5,0m**	**429** **549** **779** **1099**

Prices are including 21% VAT / Prijzen zijn inclusief 21% BTW / tous les prix incluent 21% de TVA

CHORD CABLE PRICE LIST AUGUST 26'
(prices are subject to change without notice)

Shawline X		Lengths	€
	**ShawlineX speaker cable** Silver-plated, 16 AWG oxygen-free copper. Similar spec to the famous Chord RumourX, but enhanced with high-density, dual-layer shielding, LS0H internal jacket and PVC outer jacket to reduce mechanical noise. Available with factory-fitted ChordOhmic silver-plated speaker connectors featuring our latest ChorAlloy™ plating. ***Pair includes 4mm banana on both sides, spades at extra cost**. (custom and assymetric lenghts available)* ***Reels 50m.***	**Pair** **2,0m*** **2,5m*** **3,0m*** **Extra m (mono) m** **Spade per piece**	 **519** **599** **679** **79.9** **7,99**
	**Shawline Power EU** A high-specifcation mains cable design that evolved from the previous Power Chord, now featuring an improved, thicker stranded conductor. The shielding also benefits from a redesigned, higher gauge braid wire. Also available in custom lengths**.** ***Available with C7 (figure 8), C13 (10 Amp) and C19 (16 Amp) connector. Powerhaus uses C19.***	**1,0m** **1,5m** **2,0m** **FIG 8** **1,0m** **1,5m** **2,0m** **Extra m**	**469** **549** **629** **529** **609** **669** **160**

Prices are including 21% VAT / Prijzen zijn inclusief 21% BTW / tous les prix incluent 21% de TVA

CHORD CABLE PRICE LIST AUGUST 26'
(prices are subject to change without notice)

Epic X		Length	€
	**EpicX Analogue 2RCA/DIN/4DIN/2RCA-2XLR/250/300/3.5mm** EpicX ARAY features our unique ARAY conductor technology, the latest XLPE insulation fitted with ChorAlloy™ plated VEE 3 RCA Plugs. EpicX Aray is built from heavy gauge silver-plated, multi-strand, oxygen-free copper conductors. Detailed performance, but conveys the extra information with coherence. Genuinely musical and involving sound.	**0,5m** **1,0m** **Extra m** **TT FLY lead 1,2m**	**779** **939** **320** **1069**
	**EpicX ARAY Analogue Subwoofer** High-quality subwoofer cable now featuring XLPE insulation and ChorAlloy™ plated VEE 3 RCA Plugs. Custom lengths and terminations to order. Designed to complement the Epic range and enhance any high-spec music/TV/movie/game/multichannel system. Built by hand at the Chord Company with unique ARAY conductor geometry.	**3,0m** **5,0m** **7,0m** **Extra m**	**779** **1099** **1419** **160**
	**EpicX ARAY Analogue XLR** Hand-built with the same XLPE insulated internal conductors as EpicX RCA. Design adapted to include an extra conductor to produce the optimum (neutral, transparant) performance for XLR-fitted equipment. XLR connectors with ChorAlloy™ plated connector pins.	**0,5m** **1,0m** **Extra m**	**1139** **1319** **390**
	**Epic Digital Solid Core RCA / BNC / XLR (AES-EBU)** Silver-plated, Tuned ARAY conductors and dual foil screen. Listen for better stated rhytm and the critial micro details that mean so much to music. Fitted with ChorAlloy™ plated RCA, BNC or XLR connector	**0,5m** **1,0m** **Extra m**	**779** **939** **320**
	**Epic USB** Benefits from the uniqe Chord Co Tuned ARAY conductor technology and enhanced screening/shielding materials that help to reduce interference. This cable also benefits from refined USB connectors (Type A and B), ChorAlloy™ plated to our specifications in the UK, with all connections soldered by our engineers.	**1,0m** **Extra m**	**939** **320**

Prices are including 21% VAT / Prijzen zijn inclusief 21% BTW / tous les prix incluent 21% de TVA

CHORD CABLE PRICE LIST AUGUST 26'
(prices are subject to change without notice)

Epic X		Length	€
	**Epic Streaming** Developed for and tested with digital audio streamers. High-quality silver-plated conductors, high-speed insulation materials , high-density separate pair/overall shielding. Tuned ARAY conductor geometry. Precision RJ45 connectors, modified to allow direct soldering of conductors to contact pins.	**1,0m** **Extra m**	**939** **320**
	**EpicX speaker cable** Based on the multi-award-winning Chord Odyssey speaker cable. 12 AWG oxygen-free copper negative and positive conductors, silver-plated and insulated with XLPE. High-frequency combination shield of overlapped high-density foil and thight-weave metal braid. Outer PVC jacket provides mechanical damping. Available with ChordOhmic speaker connectors that benefit from our latest ChorAlloy ™ plating. Reels 50m. ***Pair includes 4mm banana on both sides, spades at extra cost.*** *(custom and assymetric lenghts available)* ***Reels 50m.***	**Pair** **2,0m*** **2,5m*** **3,0m*** **Extra m (mono)** **Spade per piece**	 **829** **989** **1159** **155,9** **7,99**
	**EpicXL speaker cable** Similar spec to EpicX, but further enhanced with sperately shielded positive and negative conductors. Optimum twist applied before secure clamping. Built to order in terminated sets. Every set of EpicXL speaker cable is built to order and terminated at our UK factory with ChordOhmic plugs with ChorAlloy™ plating. ***Available with 4mm banana plugs or spade connectors***. **Epic bi-wire speaker links Spade to Banana 28cm**	**Pair** **2,0m** **3,0m** **Extra m (mono)** **Set of 4 links 28cm**	 **1359** **2039** **340** **249**
	**Epic Power Cable EU** Chord Company Epic Power is a high-specification mains cable for hi-fi and audiovisual systems. Hand-built in the UK, the design incorporates our unique ARAY conductor technology and is ***available fitted with high-spec 10 or 16 amp IEC or FIG 8 connectors***	**1,0m** **1,5m** **2,0m** **FIG8** **1,0m** **1,5m** **Extra m**	**939** **1099** **1259** **1009** **1169** **320**

Prices are including 21% VAT / Prijzen zijn inclusief 21% BTW / tous les prix incluent 21% de TVA

CHORD CABLE PRICE LIST AUGUST 26'
(prices are subject to change without notice)

Signature		Length	€
	**SignatureX Analogue 2RCA/DIN/4DIN/2RCA-2XLR/250/300/3.5mm** A design perfected for 25 years, continious development and taking advantage of the latest technological improvements keep it at the cutting edge. Separately shielded silver-plated conductors. Tuned Aray conductor geometry. Dual layer foil and high density braid. Performance Chord PTFE plug surrounds. Connectors feature the latest ChorAlloy™ plating. ***Tonearm version available with straight or right-angle plug***	**1,0m** **Extra m** **TT FLY lead 1,2m**	**1869** **620** **2059**
	**SignatureX ARAY Analogue Subwoofer** Dedicated Signature subwoofer cable designed with all the technology of the analogue Signature range. Designed for mid-to-high-end surround systems. Available to order in custom lengths and a variety of terminations.	**3,0m** **5,0m** **Extra m**	**1559** **2179** **310**
	**SignatureX Tuned ARAY Analogue XLR** Two signal wires carry the hot (in phase) and cold (out of phase) signals, with a third identical conductor to carry the earth/return signal. This takes the shield out of the circuit, reducing unwanted interference. Now featuring XLPE insulation and ChorAlloy™ contact plating.	**1,0m** **Extra m**	**2649** **780**
	**Signature Digital RCA / BNC / XLR (AES-EBU)** Super ARAY conductor geometry. Fitted with PTFE RCA plug surrounds and/or high quality 75ohm BNC Plugs. AES/EBU version also available. Ultra low mass ChorAlloy™ plated RCA connectors with machined PTFE plug surround.	**1,0m** **Extra m**	**1869** **620**
	**Signature Super ARAY USB** Four separately shielded, silver-plated bi-conductors, insulated with PE/LDPE/PE TRI Fitted with dual layer high frequency effective shielding and Super ARAY conductor geometry. USB plugs are ChorAlloy™ plated to our specification in the UK.	**1,0m** **Extra m**	**1869** **620**

Prices are including 21% VAT / Prijzen zijn inclusief 21% BTW / tous les prix incluent 21% de TVA

CHORD CABLE PRICE LIST AUGUST 26'
(prices are subject to change without notice)

Signature		Length	€
	**Signature Streaming** Precision RJ45 connectors (gold plated contacts and soldered conductors) are used along with the unique hard skin insulation. Heavy gauge silver-plated conductors and an effective shielding system. Super ARAY geometry developed for streaming cables	**1,0m** **Extra m**	**1869** **620**
	**SignatureXL speaker cable** The latest version of what was our first shielded speaker cable. An instant success when launched. Individually shielded, silver-plated high-purity oxygen-free copper conductors, XLPE insulation, twisted and clamped. Built to order in terminated sets. Standard colours are red and black or all-black. ****Built with factory-fitted ChordOhmic 4mm banana plugs or ChordOhmic spades with ChorAlloy™ plating***	**Pair** **2,0m*** **3,0m*** **5,0m*** **Extra m (mono)**	 **2699** **4059** **6779** **680**
	**Signature Speaker Links** Designed to replace the pressed-metal versions used to bridge inputs on bi-wireable speakers. Easy to fit and can bring startling improvements to sound quality. Design or is based closely on Chord Signature speaker cable but will work with any speaker cable. Featuring the ChordOhmic plugs with ChordAlloy™ plating. Available Length 200mm	**Set of 4 Links 20cm** **spade - 4mm** **spade - spade**	 **499** **499**
	**SignatureX Power Cable EU** SignatureX Power Cable is designed , hand built and tested in the UK and benefits from the latest XLPE insulation. Consistently high-quality performance in any environment and across all audio/video applications. Alongside the unique Chord Company ARAY geometry this upgraded mains cable features significantly heavier gauge conductors meaning less resistance and greater efficiency. ***Fitted with high-spec 10 (c13)or 16(c19) amp IEC plugs. Custom lenghts available.***	**1,0m** **1,5m** **2,0m** **3,0m** **Extra m**	**1869** **2179** **2489** **3109** **620**

Prices are including 21% VAT / Prijzen zijn inclusief 21% BTW / tous les prix incluent 21% de TVA

CHORD CABLE PRICE LIST AUGUST 26'
(prices are subject to change without notice)

Sarum T		Length	€
	**Sarum T Analogue 2RCA/DIN/4DIN/2RCA-2XLR/250/300/3.5mm** Common to the entire Sarum T portfolio, the unique Chord Company Taylon® insulation brings the proven advantages of phase stability to a far more affordable price point. Unique Super ARAY conductor geometry and high-performance Chord Company PTFE plug surrounds ensure Sarum T comes a close second to the ChordMusic. Also available as a tonearm version (from 1.2m). RCA/XLR/DIN connectors feature ChorAlloy™ plated contact areas.	**1,0m** **Extra m** **TT FLY lead 1,2m**	**3749** **1260** **4059**
	**Sarum T Analogue XLR** Hand-made construction, like its range stablemates, the Sarum T design and its myriad benefits make for an exceptional XLR cable. The hand-building process allows the factory technicians to carefully adapt the conductor layout for the XLR configuration. High-performance plugs offer a reassuringly secure connection.	**1,0m** **Extra m**	**5299** **1560**
	**Sarum T Digital RCA / BNC / XLR (AES-EBU)** The propirietary Chord Company Taylon® insulation and Super ARAY conductor technology is as relevant in deigital cables as it is analogue - possibly more so, given the growing amount of digital sources. Trust Sarum T Digital with signal-carrying duties for complete assurance of an unadulterated transfer to and from digital devices without phase issues compromising sound quality.	**1,0m** **Extra m**	**3749** **1260**
	**Sarum T ARAY USB** USB cables built with Sarum T technologies deliver digital music at the highest level, surpassed only by the flagship ChordMusic USB. ChorAlloy™ plated USB plug built to Chord Company's specification ensure perfect synergy with the hand-made interconnect featuring four separately shielded silver-plated conductors, protected with our advanced Taylon® insulation for unrivalled phase stability.	**1,0m** **Extra m**	**3749** **1260**

Prices are including 21% VAT / Prijzen zijn inclusief 21% BTW / tous les prix incluent 21% de TVA

CHORD CABLE PRICE LIST AUGUST 26'
(prices are subject to change without notice)

Sarum T		Length	€
	**Sarum T Streaming** Protecting digital source signals is vitally important and Sarum T Streaming brings the advanced phase stability of our unique Taylon® insulation to streaming devices everywhere. Precision-made RJ45 connectors with gold-plated and soldered conductors, plus streaming specific Super ARAY conductor geometry to ensure benefits of this unique technology.	**1,0m** **Extra m**	**3749** **1260**
	**Sarum T speaker cable** The original Sarum speaker cable was designed to neiter add nor subtract from the signal, and Sarum T speaker progresses the original brief, adding new materials and techniques to advance its capabilities. ChordOhmic loudspeaker plugs upgraded with ChorAlloy™ plating, a dedicated clamp, silver-plated-ribbon braid and a heavy foil shielding - all part of our ongoing obsession with the best possible sound quality. ***Custom lenghts available.***	**Pair** **2,0m*** **3,0m*** **5,0m*** **Extra m (mono)**	 **5399** **8119** **13559** **1360**
	**Sarum T speaker links** High-performance bi-wire speaker links to optimise performance where bi-wire speaker block terminals are used. Fitted with the next-generation, high-performance or ChordOhmic banana plugs and spade connectors with ChorAlloy™ plating, the Sarum T speaker links ensure every drop of performance is extracted form both the speakers and the connecting cable.	**Set of 4 Links 28cm** **spade - 4mm** **spade - spade**	 **999** **999**
	**Sarum T Power Cable EU** The perfect complement to Sarum T signal-carrying products, the power cable provides a super-high-quality build, with uncompromising materials and shielding to minimise the noise floor. All the internal elements use Taylon® to their best advantage, supplying expensive electronics with essential power. ***Fitted with high-spec 10 (c13)or 16(c19) amp IEC plugs. Custom lenghts available.***	**1,0m** **Extra m**	**3749** **1260**

Prices are including 21% VAT / Prijzen zijn inclusief 21% BTW / tous les prix incluent 21% de TVA

CHORD CABLE PRICE LIST AUGUST 26'
(prices are subject to change without notice)

Chord Music		Length	€
	**ChordMusic 2RCA/DIN/4DIN/2RCA-2XLR/250/300/3.5mm** The most advanced Chord Company analogue interconnect in the company's history; the flagship analogue product for uncompromising signal transfer. Proprietary Taylon® phase-stable insulation, a specifically customised version of our unique Super ARAY conductor, plus the finest materials and crafmanship available. Each cable is built by hand to order. RCA/XLR/DIN connectors feature ChorAlloy™ plated contact areas.	**1,0m** **Extra m** **TT FLY lead 1,2m** **Reference arm lead 1,2m** **Extra m**	**7499** **2500** **8049** **11299** **3120**
	**ChordMusic Analogue XLR** With much high-end equipment also offering balanced connectivity options, Chord Music XLR is an obvious choice. Hand-built to order, allowing the XLR wiring configuration to be carefully implemented, the balanced cable is the finest example of its kind in the portfolio. Taylon® phase-stable insulation perfectly complements the unique Super ARAY conductor technology. XLR connectors feature ChorAlloy™	**1,0m** **Extra m**	**10599** **3120**
	**ChordMusic Digital RCA / BNC / XLR (AES-EBU)** The finest digital cables in the portfolio, ChordMusic Digital delivers the finery of binary in its full undiluted glory. A digital cable that neither adds or extracts to the signal, it's a digital cable that carries music with a degree of accuracy that makes it as thrilling and profound as the analogue cables.	**1,0m** **Extra m**	**7499** **2500**
	**ChordMusic USB** The ChordMusic USB employs Taylon® insulation and 2 layers of noise reduction material. One on the plus and minus signal conductors. Another covering the 5 volt conductors and the USB Super ARAY conductor geometry. There is also a layer of external shielding and finally the white braided outer jacket.	**1,0m** **Extra m**	**7499** **2500**

Prices are including 21% VAT / Prijzen zijn inclusief 21% BTW / tous les prix incluent 21% de TVA

CHORD CABLE PRICE LIST AUGUST 26'
(prices are subject to change without notice)

Chord Music		Length	€
	**ChordMusic Digital Streaming** ChordMusic streaming cable delivers the very best performance to and from streaming enabled hardware, where the preservation of the original file is of utmost performance. ChordMusic's various technologies align for high-end audio streaming, bringing the benefits of the flagship Taylon® insulation and the Super ARAY conductor configuration.	**1,0m** **Extra m**	**7499** **2500**
	**ChordMusic speaker cable** High-end loudspeakers are a significant audio investment and feeding them with the best quality signal from the amplifier is critical for performance. The introduction of the phase-stable Taylon® insulation produces the most natural and uncoloured speaker cable possible. ChordMusic features Tuned ARAY conductor geometry, with obvious clarity and transparancy benefits. ***Custom lenghts available.***	**Pair** **2,0m** **3,0m** **5,0m** **Extra m**	 **10799** **16239** **27669** **2720**
	**ChordMusic speaker links** With most high-end speakers worhty of ChordMusic speaker cable having drivers and bi- or even tri-wiring options, ChordMusic bi-wire speaker links a suitably high-end solution to the basic pins provided with the speaker terminal blocks. Designed to complement the speaker cables, the bi-wire links helpthe full performance capability of the cable engineering.	**Set of 4 Links 28cm** **spade - 4mm** **spade - spade**	 **1999** **1999**
	**ChordMusic Power Cable** The flagship power cable, ChordMusic Power contains all of Chord Company's mains' cable know-how, gained over 35 years of UK cable manufacturing. A hybrid design using differing internal cables, shielding and ARAY configurations. All the internal elements use Taylon® and his insulation, combined with the optimum shielded design, redefines the musical performance. **Fitted with high-spec 10 (c13)or 16(c19) amp IEC plugs. Custom lenghts available.**	**1,0m** **Extra m**	**7499** **2500**

Prices are including 21% VAT / Prijzen zijn inclusief 21% BTW / tous les prix incluent 21% de TVA

CHORD CABLE PRICE LIST AUGUST 26'
(prices are subject to change without notice)

Powerhaus		Length	€
	**PowerHAUS M6** The flagship M6 offers the best performance and utilises three hybrid MainsARAY's fitted in parallel to the bus bars. PowerHAUS is non-switched, no active filters and neon power indicators which can generate noise and reduce quality. Their solid aluminium construction minimises the unwanted effects of microphony. A high performance 16-amp (C19) IEC allows the PowerHAUS to cope with the most demanding home systems. Standard C19 power cable included. Made in UK.		**3699**
	**PowerHAUS S6** The Chord Company PowerHAUS S6 mains block is the destillation of workin with signal and power transfer and benefits from a unique version of our acclaimed ARAY technology which has been specially adapted for power distribution. Standard C19 power cable included. Make in UK.		**1849**
	**PowerHAUS P6** The P6 uses heavy-gauge internal cables and high-quality sockets, both chosen for their sound performance. These are complemented by a 16 amp IEC input socket suitable for even the most demanding systems. The solid construction also provides the optimum environment for the sophisticated internal cicuitry. C19 cable included.		**919**

Prices are including 21% VAT / Prijzen zijn inclusief 21% BTW / tous les prix incluent 21% de TVA

CHORD CABLE PRICE LIST AUGUST 26'
(prices are subject to change without notice)

Burndy Bridge		Length	€
	**The Chord Company Bridge** Upgrades the lightweight, unshielded shorting plug supplied with NAIM AUDIO equipment, offering a no-compromise, noise reduced connection. It features a machined heavy-gauge aluminium case for both acoustic and electrical isolation. The Taylon® insulated wiring and resin dampened internal assembly further increase this isolation. ***Available for: Type 3 en 4, NDX, N-DAC, N-272, HDX and SuperLine***		**729**

Transmission fluid		Length	€
	Transmission Fluid Transmission Fluid work by deploying polymers to fill pits and imperfections on the surfaces of connections, creating a greater contact area and, therefore, improving the performance of the connection: the lower the resistance, the higer the current signal. Can be applied to all metal contacts, from speaker connections to interconnects.		**299**

Prices are including 21% VAT / Prijzen zijn inclusief 21% BTW / tous les prix incluent 21% de TVA

CHORD CABLE PRICE LIST AUGUST 26'
(prices are subject to change without notice)

Burndy		Length	€
	**ChordBurndy Cable X (XLPE)** A clear upgrade path for anyone with Burndy-equipped devices. Chord Company Burndy cables are available in custom lengths and a wide variety of configurations. Designed to connect all compatible Naim Audio products, including the latest 12-way and 23 way (Type 3 and Type 4 equipped models) for example the Nample the NPX300. Every cable is hand built to order using multi-stranded silver-plated OFC conductors with XLPLE insulation, complemented by high-density, silver-plated braid and foil combination HF shielding. These complex and delicate umbilical links are terminated with our unique, crimped Choralloy™ plated connector pins. Chord Company Burndy cables come in at different price levels depending on their complexity, the number of wires needed and material specification. ***1,23m standard length, additional length on request***	**Type 3** **Type 4** **PS555-1** **PS555-2** **SXPS** **NAC252** **NAC52-52ps** **52-SuperCap** **SNAXO-SL** **NAC552**	**1949** **2499** **1949** **1449** **2199** **2849** **2999** **3399** **3249** **3599**
 	**ChordBurndy Cable T (Taylon®)** A clear upgrade path for anyone with Burndy-equipped devices. Chord Company Burndy cables are available in custom lengths and a wide variety of configurations. Designed to connect all compatible Naim Audio products, including the latest 12-way and 23 way (Type 3 and Type 4 equipped models) for example the NPX300. Every cable is hand built to order using multi-stranded silver-plated OFC conductors with Taylon® insulation, complemented by high-density, silver-plated braid and foil combination HF shielding. These complex and delicate umbilical links are terminated with our unique, crimped Choralloy™ plated connector pins. Chord Company Burndy cables come in at different price levels depending on their complexity, the number of wires needed and material specification. ***1,23m standard length, additional length on request***	**Type 3** **Type 4** **PS555-1** **PS555-2** **SXPS** **NVS-TT** **NAC 252** **NAC 52-52PS** **52 -SuperCap** **SNAXO-SL** **NAC 552** **NAP300 Pair** **NAP 500 Pair**	**3899** **4999** **3899** **2849** **4249** **3899** **5649** **5999** **6749** **6399** **7099** **5649** **7099**

Prices are including 21% VAT / Prijzen zijn inclusief 21% BTW / tous les prix incluent 21% de TVA

CHORD CABLE PRICE LIST AUGUST 26'
(prices are subject to change without notice)

Aray		Length	€
	**GroundARAY** The GroundARAY is a next-generation high-frequency-noise-reduction device that connects to unused sockets on A/V equipment providing a low-impedance route for HF noise to pass through, directly improving the noise floor of the 'host' product.	**HDMI** **RCA** **DIN** **BNC** **RJ45** **XLR female** **XLR male** **USB type A**	**899** **899** **899** **899** **899** **899** **899** **899**
	**PowerARAY EU** Chord Company PowerARAY is a next-generation noise reduction/absorption device. Akin to the popular GroundARAY units, the PowerARAY can be connected to unused mains power sockets (wall or distribution block) adjacent to those used to power your hi-fi equipment, providing a low-impedance escape route for HF noise, reducing the amount entering a hi-fi system, lowering the noise floor and leaving more space for the music.	**EU version**	**899**
	**PhonoAray** Chord PhonoARAY allows the user to earth their turntable to the phono input but at the same time reduce the amount of RFI passing through that earth connection. Connections are via two high-quality 4mm speaker style plugs. terminals that can take both 4mm plugs and spade connections. The unit comes supplied with a 50cm screened earth cable.		**1499**

Prices are including 21% VAT / Prijzen zijn inclusief 21% BTW / tous les prix incluent 21% de TVA

CHORD CABLE PRICE LIST AUGUST 26'
(prices are subject to change without notice)

English Electric		Length	€
	**EE1** The EE1 network noise isolator is designed to sit discreetly between ethernet cables within a streaming audio/video system and can drastically reduce noise whilst allowing digital signals to pass unhindered. Digital signals are robust but are often accompanied by a degree of noise, usually transferred from home network devices. Hifi.nl 4½* out of 5		**439**
	**EE1 Plus** Advanced Network Noise Isolator fitted with ARAY technology. Precision machined thick-walled aluminium case with Isolation feet. Self-powered, converts unwanted noise to heat. Targeted filtering reduces damaging network noise. Galvanic isolation blocks low-frequency noise and significantly reduces high-frequency noise whilst maintaining data quality		**879**
	**EE8 switch EU** Eight audio grade 100/1000 T-base gigabit ports in a machined aluminium enclosure offer excellent protection from both acoustic and electrical noise to connect the most demanding streaming setups. Powered by a customised TCXO (Temperature Compensation Crystal Oscillator), accuracy is 0.1ppm – far higher than normal crystals and higher than a normal TCXO. The AV-grade power adapter has been designed to reduce electrical noise from AC power and prevent mains quality issues from affecting network signals. The power supply and clock generation circuits each have two electrical noise isolation circuits, assisted by an extra EMI to further reduce noise. The 8Switch jitter measurements indicate an improved network signal performance of up to 90% ***Supplied with 0,75M C-Stream.***		**739**

Prices are including 21% VAT / Prijzen zijn inclusief 21% BTW / tous les prix incluent 21% de TVA

CHORD CABLE PRICE LIST AUGUST 26'
(prices are subject to change without notice)

DC Power Cables for Rega		Length	€
	**ShawlineX DC cable for Rega PSU** The job of a turntable motor is to spin your record with minimum vibration, speed variation and noise. This new cable upgrade has been designed to combat the pick up of interference/noise and features our acclaimed advanced shielding technology with high-specification 4pin connectors. High-speed, silver-plated copper conductors. Twisted conductor pairs with single layer foil shield and overall single layer shield. FEP insulation.	**1,5m** **Extra m**	**549** **160**
	**EpicX DC cable for Rega PSU** Rega owners are strongly recommended to give this a trial via participation Chord Company retailers. The cable has been designed to reduce the pick of interference noise. Epic DC cable takes this to new levels of performance. High-speed, silver-plated copper conductors. High coverage, dual layer shielded twisted conductor pairs with additional overall dual-layer foil shield. Foam PE insulation.	**1,5 m** **Extra m**	**1099** **320**

DC Power Cables for Plixir / Melco		Length	€
	**ShawlineX DC cable for Plixir** A Chord Company high-performance custom design. Our new range of DC cables started life as a special request from one of our distributors but proved to be so popular that we decided to put them in production for everyone else. ***Available with 2.1mm or 2.5mm connector barrel.***	**1 m** **Extra m**	**469** **160**
	**DC cable for Melco S10** A Chord Company high-performance custom design. Our new range of DC cables started life as a special request from one of our distributors but proved to be so popular that we decided to put them in production for everyone else. This cable sits between PSU and Melco's 10 Ethernet Switch. 1m Length	**All 1 m** **ShawlineX** **SignatureX** **SarumT**	 **469** **1899** **3749**

Prices are including 21% VAT / Prijzen zijn inclusief 21% BTW / tous les prix incluent 21% de TVA

CHORD CABLE PRICE LIST AUGUST 26'
(prices are subject to change without notice)

Installation Cable		Length	€
	**LeyLine2X and Leyline4X** LeylineX has been designed to bring out the best performance from today's increasingly sophisticated yet affordably priced electronics and loudspeakers. Tin-plated copper conductors in twisted pair configuration which perform two roles: preventing oxidisation (crucial for non-removeable cables where long-term performance is expected), plus improved high-frequency performance over longer runs. XLPE insulation. For installers, the cable is metre-marked and is supplied in an easy-access 152m pull-box; it comes with a EN50575 DCA-S2, D2, A1 CPR rating. It also features a rip-cord to aid stripping of the outer jacket. Available as 2X (2-core) Ø 6mm and 4X (4-core) Ø7.3mm	**152m**	**P.O.A.**
	**LeyLine 2 XL** A quality upgrade over LeyLineX with thicker 14 AWG conductors instead of 16 AWG. Advanced XLPE insulation/dielectric, robust 14AWG tin-plated copper conductors in twisted pair configuration. Fire safety CPR rated : Dca -s1, d1, a1 152m easy-pull box with metre marking Rip-cord for easy stripping Low smoke, zero halogen outer jacket Ø 6.5mm	**152 m**	**P.O.A.**

Prices are including 21% VAT / Prijzen zijn inclusief 21% BTW / tous les prix incluent 21% de TVA

CHORD CABLE PRICE LIST AUGUST 26'
(prices are subject to change without notice)

Legacy / AV Speaker Cable		Length	€
	**Sarsen Speaker Cable** Near-invisible speaker cable that won't spoil the sound of a decent hi-fi system. Flexible enough to fit between carpet and skirting board. Perfect for music lovers who think speaker cable should be heard and not seen. Sarsen is very flexible and only 3,2mm in diameter making it very easy to install. 18 AWG. ***Pair includes 4mm banana on both sides, spades at extra cost**. (custom and assymetric lenghts available)*	**Pair** **3,0 m*** **Extra m (mono)** **Spade per piece** **100m reel**	 **309** **17,99** **7,99** **1799**
	**RumourX Speaker Cable** What Hifi? Speaker Cable Winner 2023. 6mm diameter, neutral and natural sounding speaker cable. Good enough to find its way into everything from lifestyle to seriously high-end audio systems. Silver-plated16 AWG OFC conductor in twisted pair configuration with XLPE insulation ***Pair includes 4mm banana on both sides, spades at extra cost**. (custom and assymetric lenghts available)*	**Pair** **3,0 m*** **Extra m (mono)** **Spade per piece** **50m reel**	 **409** **34,99** **7,99** **1749**
	**OdysseyX Speaker Cable** A heavier gauge version of Chord RumourX. High performance that brings control to pretty much any pair of speakers. This helps to bring more detail and dynamics to a system. Also allowing a degree of control and definition that can transform the performance of both floor and stand mounted loudspeakers. 12 AWG. ***Pair includes 4mm banana on both sides, spades at extra cost**. (custom and assymetric lenghts available)*	**Pair** **3,0 m*** **Extra m (mono)** **Spade per piece** **50m reel**	 **499** **50,99** **7,99** **2549**
	**4mm plug termination kit screw-fit bananas** Sometimes it's not possible to use a pre-terminated speaker cable. Next best option is a set of our unique design 4mm banana plugs. Gold-plated 4mm loudspeaker connectors – pack of 4 with 2 black and 2 red caps	**Set of 4**	**33,99**

Prices are including 21% VAT / Prijzen zijn inclusief 21% BTW / tous les prix incluent 21% de TVA

CHORD CABLE PRICE LIST AUGUST 26'
(prices are subject to change without notice)

High Level Subwoofer Cables (For REL and many more)		Length	€
	**Shawline Subwoofer Cable** Hand built at Chord Co. HQ with three individually shielded runs of heavy gauge 14 AWG silver plated copper wires, for optimum signal transfer and protection from interference. Features our PTFE dielectric and woven braided shielding, delivering controlled, thight bass while enhancing the entire musical performance of your hifi-system. **Full range of custom options, lengths and terminations.**	**3,0m** **6,0m** **Extra m**	**799** **1279** **160**
	**Epic Subwoofer Cable** Hand built at Chord Co. HQ with three individually shielded runs of heavy gauge 12 AWG silver plated copper wires, for optimum signal transfer and protection from interference. Features our PTFE dielectric and woven braided shielding, delivering controlled, thight bass while enhancing the entire musical performance of your hifi-system. **Full range of custom options, lengths and terminations.**	**3,0m** **6,0m** **Extra m**	**1599** **2559** **320**

Prices are including 21% VAT / Prijzen zijn inclusief 21% BTW / tous les prix incluent 21% de TVA