Naim Audio Uniti Atom Headphone Edition

Hoofdtelefoonversterkers



Technische specificaties

Merk	Naim Audio
Model	Uniti Atom Headphone Edition
Productcategorie	Hoofdtelefoonversterkers
Uitgangsvermogen	1.5W RMS per kanaal into 16 Ω. Suitable for headphones from 16 Ω and upwards
Analoge ingangen	1 x Stereo RCA pair
Digitale ingangen	2 x optical TOSLink (tot 24bit/96kHz) 1 x coaxial RCA (tot 24bit/192kHz, DoP 64Fs)
Analoge uitgangen	1 x Stereo XLR Preamp output 1 x RCA sub/pre output
Netwerk	Ethernet (10/100Mbps), Wi-Fi (802.11a/b/g/n/ac), BLE v4.2
Bediening	5" colour LCD screen, rotary volume control with proximity sensor and four buttons

Technische specificaties

Audioformaten	WAV - tot 32bits/384kHz FLAC and AIFF - tot 24bit/384kHz ALAC (Apple Lossless) - tot 24bit/384kHz MP3 - tot 48kHz, 320kbit (16 bit) AAC - tot 48kHz, 320kbit (16 bit) OGG and WMA - tot 48kHz (16 bit) DSD - 64 and 128Fs M4A - tot 48kHz, 320kbit (16 bit) Note: Gapless playback supported on all formats.
Ondersteunde samplefrequenties	USB : 44.1kHz - 384kHz (16 to 24bit) S/PDIF : 32kHz - 192kHz (tot 24bit)
Hoofdtelefoonuitgangen	1 x jack 6,35 mm, 1 x Pentaconn 4.4 mm (gebalanceerd), 1 x XLR 4-pins (gebalanceerd)
Wifi	Wi-Fi (802.11 b/g/n/ac) met internal antenna, integrated into the heat sink (patent GB2524815B)
Multiroom	Multiroom streaming and its "Party Mode" (sync tot six Naim streamers), en control them via the "Focal & Naim" application
Opslag	Store tot 20,000 tracks to a local USB connected storage device and serve to a network-connected player. External portable SSD - max. 1TB USB sticks - max. 128 GB.
Streaming in stereo	Apple AirPlay 2, Bluetooth, Chromecast, Internet Radio, Qobuz, Roon Ready, Spotify®Connect, TIDAL, UPnP™
Bediening via app	Focal & Naim App
Bedieningssysteem	Zigbee RF bi-directive remote control
Ondersteunde mobiele systemen	Android, iOS
Automatische stand-by	<20 min.
Stroomverbruik, uitgeschakeld	< 0.3W
Stroomverbruik in stand-by	< 0.5W
Stroomverbruik in netwerkstand-by	< 2W
Stroomverbruik bij gebruik	17 W
Netsnoer	PowerLine Lite
Netvoeding	115V or 230V, 50/60Hz
Accessoires	Remote

Technische specificaties

Breedte	24.5 cm / 9.44 in
Hoogte	9.5 cm / 3.75 in
Diepte	26.5 cm / 10.43 in
Gewicht	7 kg / 15.43 lb