Naim Audio Uniti Atom

Geïntegreerde versterkers



Technische specificaties

Merk	Naim Audio
Model	Uniti Atom
Productcategorie	Geïntegreerde versterkers
Uitgangsvermogen	40W per chanel into 8 ohm,@0,1 THD + N, class AB
Analoge ingangen	1 x Stereo RCA pair
Digitale ingangen	2 x optical TOSLink (tot 24bit/96kHz) 1 x coaxial RCA (tot 24bit/192kHz, DoP 64Fs)
Analoge uitgangen	1 x Stereo power amplifer 1 x RCA sub/pre output
Netwerk	Ethernet (10/100Mbps), Wi-Fi (802.11a/b/g/n/ac), BLE v4.2
Bediening	5" colour LCD screen, rotary volume control with proximity sensor and four buttons

Technische specificaties

Audioformaten	WAV - tot 32bits/384kHz FLAC and AIFF - tot 24bit/384kHz ALAC (Apple Lossless) - tot 24bit/384kHz MP3 - tot 48kHz, 320kbit (16

Technische specificaties

	bit) AAC - tot 48kHz, 320kbit (16 bit) OGG and WMA - tot 48kHz (16 bit) DSD - 64 and 128Fs M4A - tot 48kHz, 320kbit (16 bit) Note: Gapless playback supported on all formats.
Ondersteunde samplefrequenties	USB : 44.1kHz - 384kHz (16 to 24bit) S/PDIF : 32kHz - 192kHz (tot 24bit)
Hoofdtelefoonuitgangen	1 x jack 3,5 mm
Wifi	Wi-Fi (802.11 b/g/n/ac) met internal antenna, integrated into the heat sink (patent GB2524815B)
Multiroom	Multiroom streaming and its "Party Mode" (sync tot six Naim streamers), en control them via the "Focal & Naim" application
Opslag	Store tot 20,000 tracks to a local USB connected storage device and serve to a network-connected player. External portable SSD - max. 1TB USB sticks - max. 128 GB.
Streaming in stereo	Apple AirPlay 2, Bluetooth, Chromecast, Internet Radio, Qobuz, Roon Ready, Spotify®Connect, TIDAL, UPnP™
Bediening via app	Focal & Naim App
Bedieningssysteem	Zigbee RF bi-directive remote control
Ondersteunde mobiele systemen	Android, iOS
Automatische stand-by	<20 min.
Stroomverbruik, uitgeschakeld	< 0.3W
Stroomverbruik in stand-by	< 0.5W
Stroomverbruik in netwerkstand-by	< 2W
Stroomverbruik bij gebruik	90 W
Netsnoer	PowerLine Lite
Netvoeding	115V or 230V, 50/60Hz
Accessoires	Remote
Breedte	24.5 cm / 9.44 in
Hoogte	9.5 cm / 3.75 in

Technische specificaties

Diepte	26.5 cm / 10.43 in
Gewicht	7 kg / 15.43 lb